A.REI.D.10: Identifying Solutions 1

www.jmap.org

- 1 The solution of an equation with two variables, *x* and *y*, is
 - 1) the set of all *x* values that make y = 0
 - 2) the set of all *y* values that make x = 0
 - 3) the set of all ordered pairs, (*x*, *y*), that make the equation true

Regents Exam Questions A.REI.D.10: Identifying Solutions 1

- 4) the set of all ordered pairs, (*x*, *y*), where the graph of the equation crosses the *y*-axis
- 2 Which statement best describes the solutions of a two-variable equation?
 - 1) The ordered pairs must lie on the graphed equation.
 - 2) The ordered pairs must lie near the graphed equation.
 - 3) The ordered pairs must have x = 0 for one coordinate.
 - 4) The ordered pairs must have y = 0 for one coordinate.
- 3 Mrs. Rossano asked her students to explain why (3,-4) is a solution to 2y + 3x = 1. Three student responses are given below.

Andrea:

"When the equation is graphed on a calculator, the point can be found within its table."

Bill:

"Substituting x = 3 and y = -4 into the equation makes it true."

Christine:

"The graph of the line passes through the point (3,-4)."

Which students are correct?

- 1) Andrea and Bill, only
- 2) Bill and Christine, only
- 3) Andrea and Christine, only
- 4) Andrea, Bill, and Christine

- 4 Which linear equation represents a line that passes through the point (-3, -8)?
 - 1) y = 2x 2
 - 2) y = 2x 8
 - 3) y = 2x + 13
 - 4) y = 2x 14
- 5 If point (K, -5) lies on the line whose equation is 3x + y = 7, then the value of K is
 - 1) -8
 - 2) -4
 - 3) 22
 - 4) 4
- 6 The point (3, w) is on the graph of y = 2x + 7. What is the value of w?
 - 1) -2
 - 2) -4
 - 3) 10
 - 4) 13
- 7 Which ordered pair does *not* fall on the line formed by the other three?
 - 1) (16,18)
 - 2) (12,12)
 - 3) (9,10)
 - 4) (3,6)

Name:

Name:

Regents Exam Questions A.REI.D.10: Identifying Solutions 1 www.jmap.org

8 Which ordered pair below is *not* a solution to

$$f(x) = x^2 - 3x + 4?$$

- 1) (0,4)
- 2) (1.5, 1.75)
- 3) (5,14)
- 4) (-1,6)

- 13 Which ordered pair would *not* be a solution to
 - $y = x^{3} x?$ 1) (-4,-60)
 2) (-3,-24)
 3) (-2,-6)
 - 4) (-1, -2)

- 9 Which point is *not* on the graph represented by
 - $y = x^2 + 3x 6?$
 - 1) (-6,12)
 - 2) (-4,-2)
 - 3) (2,4)
 - 4) (3,-6)
- 10 Which ordered pair does *not* represent a point on the graph of $y = 3x^2 - x + 7$?
 - 1) (-1.5, 15.25)
 - 2) (0.5,7.25)
 - 3) (1.25, 10.25)
 - 4) (2.5,23.25)
- 11 Which point is *not* in the solution set of the equation $3y + 2 = x^2 5x + 17$?
 - 1) (-2,10)
 - 2) (-1,7)
 - 3) (2,3)
 - 4) (5,5)
- 12 Which point is a solution to $y = x^3 2x$?
 - 1) (-3,-21)
 - 2) (-2,10)
 - 3) (1,1)
 - 4) (4,2)

A.REI.D.10: Identifying Solutions 1 Answer Section

2 3 4	ANS: 3 ANS: 1 ANS: 1 ANS: 4 ANS: 4 ANS: 1 ANS: 1 ANS: 1 ANS: 4 K = 4 REF: 081602ai REF: 012011ai REF: 062218ai REF: 062303ai ANS: 4 K = 4
6	REF: 082205ai ANS: 4 w = 2(3) + 7 = 13
7	REF: 012302ai ANS: 1 $\frac{12-10}{12-9} = \frac{2}{3}$ $y-6 = \frac{2}{3}(x-3)$ $18-6 \neq \frac{2}{3}(16-3)$
8	REF: 062124ai ANS: 4 $f(-1) = (-1)^2 - 3(-1) + 4 = 8$
	REF: 061808ai ANS: 4 REF: 081405ai ANS: 3 $10.25 \neq 3(1.25)^2 - 1.25 + 7$
11	REF: 061918ai ANS: 1 $3(10) + 2 \neq (-2)^2 - 5(-2) + 17$ $32 \neq 31$
12	REF: 081818ai ANS: 1 $(-3)^3 - 2(-3) = -27 + 6 = -21$
13	REF: 082303ai ANS: 4 $-2 \neq (-1)^3 - (-1)$ $-2 \neq 0$
	REF: 011806ai