
S.ID.A.2: Central Tendency and Dispersion


- 1 Rosario and Enrique are in the same mathematics class. On the first five tests, Rosario received scores of 78, 77, 64, 86, and 70. Enrique received scores of 90, 61, 79, 73, and 87. How much higher was Enrique's average than Rosario's average?
 - 1)
 15 points
 3)
 3 points
 - 2) 2 points 4) 4 points
- 2 Corinne is planning a beach vacation in July and is analyzing the daily high temperatures for her potential destination. She would like to choose a destination with a high median temperature and a small interquartile range. She constructed box plots shown in the diagram below.



Which destination has a median temperature above 80 degrees and the smallest interquartile range?

- 1) Ocean Beach
- 2) Whispering Palms

- Serene Shores
 Pelican Beach
- 3 The accompanying box-and-whisker plots can be used to compare the annual incomes of three professions.



Based on the box-and-whisker plots, which statement is true?


- The median income for nuclear engineers 3) is greater than the income of all musicians.
- 2) The median income for police officers and musicians is the same.
- All nuclear engineers earn more than all police officers.
- 4) A musician will eventually earn more than a police officer.

Name:

Name:

Regents Exam Questions S.ID.A.2: Central Tendency and Dispersion www.jmap.org

4 Noah conducted a survey on sports participation. He created the following two dot plots to represent the number of students participating, by age, in soccer and basketball.



Basketball Players' Ages

Which statement about the given data sets is correct?

- 1) The data for soccer players are skewed 3) right.
- 2) The data for soccer players have less spread than the data for basketball players.
- The data for basketball players have the same median as the data for soccer players.
- 4) The data for basketball players have a greater mean than the data for soccer players.

Name:

Regents Exam Questions S.ID.A.2: Central Tendency and Dispersion

www.jmap.org

5 Donna and Andrew compared their math final exam scores from grade 8 through grade 12. Their scores are shown below.

Donna				
90				
92				
87				
94				
95				

Andrew				
8th	78			
9th	96			
10th	87			
11th	94			
12th	93			

Which statement about their final exam scores is correct?

- 1) Andrew has a higher mean than Donna.
- 2) Donna and Andrew have the same median.
- 3) Andrew has a larger interquartile range than Donna.
- 4) The 3rd quartile for Donna is greater than the 3rd quartile for Andrew.

Name:

Regents Exam Questions S.ID.A.2: Central Tendency and Dispersion www.jmap.org

6 Isaiah collects data from two different companies, each with four employees. The results of the study, based on each worker's age and salary, are listed in the tables below.

Company 1

Worker's Age in Years	Salary in Dollars
25	30,000
27	32,000
28	35,000
33	38,000

Company 2

Worker's Age in Years	Salary in Dollars
25	29,000
28	35,500
29	37,000
31	65,000

Which statement is true about these data?

- 1) The median salaries in both companies are greater than \$37,000.
- 2) The mean salary in company 1 is greater than the mean salary in company 2.
- 3) The salary range in company 2 is greater than the salary range in company 1.
- 4) The mean age of workers at company 1 is greater than the mean age of workers at company 2.
- 7 Christopher looked at his quiz scores shown below for the first and second semester of his Algebra class.
 Semester 1: 78, 91, 88, 83, 94
 Semester 2: 01, 06, 80, 77, 88, 85, 02

Semester 2: 91, 96, 80, 77, 88, 85, 92

- Which statement about Christopher's performance is correct?
- 1) The interquartile range for semester 1 is greater than the interquartile range for semester 2.
- 2) The median score for semester 1 is greater than the median score for semester 2.
- 3) The mean score for semester 2 is greater than the mean score for semester 1.
- 4) The third quartile for semester 2 is greater than the third quartile for semester 1.

Regents Exam Questions

www.jmap.org

S.ID.A.2: Central Tendency and Dispersion

Name:

8 The two sets of data below represent the number of runs scored by two different youth baseball teams over the course of a season

cou		
	Team A:	4, 8, 5, 12, 3, 9, 5, 2
	Team B:	5, 9, 11, 4, 6, 11, 2, 7
Wh	ich set of statements about the mean and standa	rd deviation is true?
1)	$\begin{array}{l} \operatorname{mean} A < \operatorname{mean} B \\ \operatorname{standard} \operatorname{deviation} A > \operatorname{standard} \operatorname{deviation} B \end{array} 3 \end{array}$	mean $A < \text{mean } B$ standard deviation $A < \text{standard deviation } B$
2)	mean A > mean B 4) standard deviation $A < standard deviation B$	mean $A >$ mean B standard deviation $A >$ standard deviation B

9	The	e sets below represent test scores for two students in Mrs. Silvio's trigonometry class.					
	Michelle: {71, 68, 84, 88}						
	Valerie: {78, 82, 76, 80}						
	Wh	ich statement correctly describes the relationship between the two students' test scores?					
	1)	Michelle's mean test score is greater and 3) Valerie's mean test score is greater and					
		her test scores have a greater her interquartile range is greater. interquartile range.					
	2)	Michelle's population standard deviation 4) Valerie's mean test score is greater, but her population standard deviation is smaller.					

- 10 Jean's scores on five mathematics tests were 98, 97, 99, 98, and 96. Her scores on five English tests were 78, 84, 95, 72, and 79. Which statement is true about the standard deviations for the scores?
 - 1) The standard deviation for the English scores is greater than the standard deviation for the math scores.
 - 2) The standard deviation for the math scores is greater than the standard deviation for the English scores.
 - 3) The standard deviations for both sets of scores are equal.
 - 4) More information is needed to determine the relationship between the standard deviations.
- 11 Tanner and Robbie discovered that the means of their grades for the first semester in Mrs. Merrell's mathematics class are identical. They also noticed that the standard deviation of Tanner's scores is 20.7, while the standard deviation of Robbie's scores is 2.7. Which statement must be true?
 - 1) In general, Robbie's grades are lower than Tanner's grades.
 - 2) Robbie's grades are more consistent than Tanner's grades.
 - 3) Robbie had more failing grades during the semester than Tanner had.
 - 4) The median for Robbie's grades is lower than the median for Tanner's grades.

Regents Exam Questions S.ID.A.2: Central Tendency and Dispersion www.jmap.org Name:

- 12 On a nationwide examination, the Adams School had a mean score of 875 and a standard deviation of 12. The Boswell School had a mean score of 855 and a standard deviation of 20. In which school was there greater consistency in the scores? Explain how you arrived at your answer.
- 13 Two social studies classes took the same current events examination that was scored on the basis of 100 points. Mr. Wong's class had a median score of 78 and a range of 4 points, while Ms. Rizzo's class had a median score of 78 and a range of 22 points. Explain how these classes could have the same median score while having very different ranges.
- 14 The students in Mrs. Lankford's 4th and 6th period Algebra classes took the same test. The results of the scores are shown in the following table:

	\overline{x}	σ_{x}	n	min	Q_1	med	Q_3	max
4th Period	77.75	10.79	20	58	69	76.5	87.5	96
6th Period	78.4	9.83	20	59	71.5	78	88	96

Based on these data, which class has the larger spread of test scores? Explain how you arrived at your answer.

15 Santina is considering a vacation and has obtained high-temperature data from the last two weeks for Miami and Los Angeles.

Miami	76	75	83	73	60	66	76
	81	83	85	83	87	80	80
Los Angeles	74	63	65	67	65	65	65
	62	62	72	69	64	64	61

Which location has less variability in temperatures? Explain how you arrived at your answer.

S.ID.A.2: Central Tendency and Dispersion Answer Section

1 ANS: 3

$$\frac{90 + 61 + 79 + 73 + 87}{5} = 78$$

$$\frac{78 + 77 + 64 + 86 + 70}{5} = 75$$

REF: 080402a

- 2 ANS: 4 REF: 011514ai 3 ANS: 2 REF: 010916a
- 4 ANS: 4 REF: 011720ai
- 5 ANS: 3

	Donna	Andrew
mean	91.6	89.6
median	92	93
IQR	6	12.5
3rd Q	94.5	95

REF: 062214ai

6 ANS: 3

	Company 1	Company 2
median salary	33,500	36,250
mean salary	33,750	44,125
salary range	8,000	36,000
mean age	28.25	28.25

REF: 081404ai

7 ANS: 3

	Mean	Q1	Median	Q3	IQR
Semester 1	86.8	80.5	88	92.5	12
Semester 2	87	80	88	92	12

REF: 061419ai

8 ANS: 1

 $A: \overline{x} = 6; \ \sigma_x = 3.16 \ B: \overline{x} = 6.875; \ \sigma_x = 3.06$

REF: 081519ai

9 ANS: 4

	$\frac{1}{x}$	IQR	σ_{x}	Range
Michelle	77.8	16.5	8.4	20
Valerie	79	4	2.2	6

REF: 011724a2

10 ANS: 1

Jean's English test scores have a greater range (72-95) than her math test scores (96-99). Therefore the standard deviation for the English scores is greater than the standard deviation for the math scores.

REF: 010406b

11 ANS: 2

Robbie's grades are more consistent than Tanner's grades because Robbie's grades have a lower standard deviation.

REF: 080802b

12 ANS:

The Adams School had the greater consistency in the scores. The school with the smaller standard deviation would have the more consistent scores.

REF: 060221b

13 ANS:

One very high or very low score in either class would have a great effect on the range for that class, but might not affect the median at all. The range is the difference between the two most extreme values, the lowest and the highest. The median, being the middle value, is not very sensitive to outliers or to extreme values.

REF: 010321b

14 ANS:

4th because IQR and σ_x are greater for 4th Period.

REF: 081831ai

15 ANS:

Los Angeles because range, IQR and σ_x are less.

	σ_{x}	Min	Q1	Q3	Max	Range	IQR
Miami	7.2	60	75	83	87	27	8
Los Angeles	3.6	61	63	67	74	13	4

REF: 011931ai